



Dual interval technology



Client view pole display



Soft touch key pad

# ER<sup>PLUS</sup> SERIES

## Price Computing Scale

CAS ER<sup>PLUS</sup> Series with its reliable and flexible weighing functions and sophisticated design is possibly the best equipment for enhancing your business operation and process.

- Trade approved (NMI No. 6/4D/345)
- Connect to ticket (DEP-50) printer
- High resolution and dual interval technology
- LCD display



DEP-50 ▶

◀ ER<sup>PLUS</sup>;  
With client pole display



# ER<sup>PLUS</sup> SERIES | Price Computing Scales

## Features

### Display options

The ER<sup>PLUS</sup> comes with an LCD display. Choose between the standard non-pole type or pole type display. The pole type display is reversed so that clients are in full view of price and weight.



LCD Display ▲



Standard Type ▲

Pole Type ▲

### Auto-power off function

The ER<sup>PLUS</sup> scale will automatically switch itself off if left unused for a set period of time.

### Soft touch tact switch keypad

Soft touch tact switch with silicon rubber keypad provides protection from such things as water, flour, dirt and other external objects interfering.



### Rechargeable battery

The scale can be used up to 200hrs(LCD) after recharging the battery for 10 hours.



### Double tray

Designed with both plastic and stainless steel trays that are made from heavy-duty and washable materials.



Stainless Steel >

Plastic >

### Dual interval technology with high resolution

High resolution (1/3,000) and dual interval technology which allows the scale weighing intervals to automatically change when a certain amount of weight is loaded on the tray.



# ERPLUS SERIES | Price Computing Scales

## Ticket Printing System

### Connect with a ticket printer

The ERPLUS series can be connected to DEP-50 (Ticket) printer via RS-232C interface. Once connected the ERPLUS series can be used as a ticket printing scale. Furthermore, it is possible to modify the ticket format via PC ticket editing software that is provided.

CAS Corporation		
DATE: 06/01/07		
weight	unit price	total
(kg)	(\$/kg)	(\$)
Apple		
0.450	1.23	0.57
Banana		
0.450	1.23	0.57
Kiwi		
0.450	4.56	2.10
Sum(\$)		3.24
Count		3
Payment(\$)		3.24
Change(\$)		0.00

▲ Sample of a Ticket



## Options

- Client view pole display
- RS-232C interface (Connect with PC or Printers)
- Backlight
- Fish tray
- DEP-50 ticket printer



▲ Client view pole display



▲ Printer



▲ RS-232C Interface



▲ Fish Tray



▲ Dust Protection Cover

# ERPLUS SERIES | Price Computing Scales

## SPECIFICATIONS

Model	ERPLUS Series		
Max. Capacity (kg)	3/6	6/15	15/30
Readability (g)	1/2	2/5	5/10
Max. Tare (kg)	-2.999	-5.998	-14.995
Internal Resolution	1/60,000		
External Resolution	1/3,000 (Dual Interval)		
Display Digit	5/6/6 (Weight / Unit Price / Total Price)		
Display Type	LCD		
Operating Temp.	-10°C ~ 40°C		
Power	Rechargeable Battery, 12V DC Adapter		
Battery Life	200 hrs		
Platter Size (mm)	304(W) x 220(D)		
Dimensions (mm)	Standard Type: 330(W) x 346(D) x 107(H) Pole Type: 330(W) x 384(D) x 413(H)		
Product Weight (kg)	Standard Type: 4.7 Pole Type: 5.5		


## FEATURES

- Apply 5 direct PLU's with 200 indirect PLU's  
\*PLU (Price-Look-Up) function: Preset keys for frequent transaction items and it's price. Easy and convenient.
- Soft touch tact switch with silicon rubber key pad
- Adopted dual interval technology for better accuracy
- LCD display
- Functions: Calculation, Daily total, Auto power-off
- Adjustable weighing stability
- Dust protection cover

## OPTIONS

- Client view pole display
- Backlight
- RS-232C interface (Connect with PC or Printers)
- DEP-50 Ticket printer
- Fish tray

## DIMENSIONS



# CAS

UNIT 8, NORTHLINK, 459 TUFNELL ROAD  
BANYO QLD 4014, AUSTRALIA  
TEL\_ +61 7 3267 7767 FAX\_ +61 7 3267 1818  
EMAIL\_ sales@casscale.com.au  
[www.cassscale.com.au](http://www.cassscale.com.au)

Specifications are subject to change for improvement without prior notice.